

Notice of Allowability

Application No.	Applicant(s)
10/670,088	JAMES, PHYLLIS K.
Examiner	Art Unit
William L. Miller	3677

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to filng of 09/23/2003.
2. The allowed claim(s) is/are 1-5.
3. The drawings filed on 23 September 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 1) hereto or 2) to Paper No./Mail Date _____.
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date _____.
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
 Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
 of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
 Paper No./Mail Date 03312004.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

William L. Miller
Primary Examiner
Art Unit: 3677

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph Roediger on 03-31-2004.

The application has been amended as follows:

In the claims:

Claim 1, line 1 – change “which comprises” to --for storing cremation ashes, said urn comprising--;

Claim 1, line 3 – after “therein” insert --for storing the cremation ashes--; and

Claim 5, line 1 – change “a” to --said--.

2. The following is an examiner's statement of reasons for allowance: Regarding claim 1, Robinson (US#6520606) discloses in Fig. 2 a decorative urn for storing cremation ashes, the urn comprising: a base section 20 having a top surface 33 and a cavity therein 26 capable of receiving a receptacle for storing the cremation ashes; a housing 50; engaging means 53 for removably supporting the housing on the top surface of the base; and a port 72 formed in the housing for communicating with an external fluid (water) reservoir (col. 4, lines 51-53). Robinson fails to disclose of suggest the following: 1) the fluid reservoir located in the housing; 2) the port being centrally located; and 3) a wick assembly removably located in the port and

Art Unit: 3677

communicating with the fluid reservoir wherein the assembly receives a wick therein for drawing fuel from the reservoir and sustaining a lighted flame. It would not have been obvious to one of ordinary skill in the art to modify Robinson such that the fluid reservoir was located in the housing, the port was centrally located, and a wick assembly was removably located in the port and communicated with the fluid reservoir wherein the assembly received a wick therein for drawing fuel from the reservoir and sustaining a lighted flame.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William L. Miller whose telephone number is 703 305 3978. The examiner can normally be reached on Tuesday-Thursday.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on 703 306 4115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/670,088
Art Unit: 3677

Page 4

William L. Miller
Primary Examiner
Art Unit 3677



WLM
03-31-2004